

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:52
L2	0	XPATH AND XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:53
L3	38	security AND XRML AND token AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 09:54
L4	2	"6854056".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:36
L5	123	certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:49
L6	81	"x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 10:50
L7	0	resource identifier AND "x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:43
L8	17	(URL OR URI) AND "x.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:43

EAST Search History

L9	32	reject\$3 AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:44
L10	1	xpath AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:57
L11	17	XML AND "X.509" AND certificate extension\$1 AND ("726".clas. OR "713".clas. OR "705".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 15:59
L12	16	"20020138738".pn. OR "20020144107".pn. OR "7139911".pn. OR "20030009662".pn. OR "5712914".pn. OR "6754829".pn. OR "20040162980".pn."6615347".pn. OR "20050257045".pn. OR "20060095767".pn. OR "7143285".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/07 16:08
S1	96	token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:40
S2	13	reject AND token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:20
S3	0	"Security Scopes and Profiles"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 16:57
S4	12	security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:21

EAST Search History

S5	3	access control AND security token AND 726/1.ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:25
S6	57	access control AND security token AND "726".clas. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:33
S7	12	access control AND security token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S8	2	"6061684".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:38
S9	2	"6088805".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:40
S10	2	"6141754".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:41
S11	2	"6279111".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:43
S12	2	"6381602".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:44

EAST Search History

S13	2	"6412070".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:45
S14	2	"6434607".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S15	2	"6446206".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:46
S16	3	"6449633".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:47
S17	3	"6513721".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S18	2	"6625603".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:48
S19	2	"5446903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:49
S20	2	"5838903".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50

EAST Search History

S21	2	"6014666".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:50
S22	2	"6058426".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:52
S23	2	"6233576".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53
S24	2	"6473800".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:53
S25	2	"6658573".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:54
S26	2	"5850446".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:55
S27	2	"5996076".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56
S28	2	"6002767".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:56

EAST Search History

S29	2	"6163772".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:57
S30	2	"6253027".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/05 17:58
S31	129	resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:03
S32	13	metadata AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:07
S33	101	message AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:14
S34	62	subject AND message AND resource AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:16
S35	70	subject AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 08:40
S36	115	message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:37

EAST Search History

S37	82	(reject\$3 OR deny OR denied OR refus\$3) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:00
S38	92	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:15
S39	7	(reject\$3 OR deny OR denied OR refus\$3 OR permission) AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:32
S40	0	xpath AND message AND resource identifier AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S41	0	xpath AND message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S42	51	message AND (resource identifier OR "URL") AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:34
S43	51	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND (token OR ticket) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 10:39
S44	46	message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:46

EAST Search History

S45	0	out of band AND message AND (resource identifier OR "URL" OR uniform resource locator) AND access control AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 11:47
S46	0	out of band AND message AND token AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:55
S47	0	out of band AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56
S48	67	secure channel AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:56
S49	25	token AND secure channel AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 12:57
S50	25	message AND token AND (secure channel) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:00
S51	1	message AND token AND second WITH (secure channel) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S52	0	message AND token AND second NEAR (secure channel) AND "726/1,16,17,21,27,30".ccls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01

EAST Search History

S53	0	message AND token AND another NEAR (secure channel) AND "726/1,16,17,21,27,30".cls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 13:01
S54	1629	xpath OR "xml" path language AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:41
S55	5	(xpath OR "xml" path language) AND "726/1,16,17,21,27,30".cls. AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:42
S56	30	(xpath OR "xml" path language) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20040216" or @ad<"20040216" or @prad<"20040216" or @rlad<"20040216")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/06 18:43